


SPECIFICATION SHEET

**USB 3.0 USB-C to USB-B Cable M/M - Black**

- Provides compatibility for USB-C laptop, tablet, or desktop to connect to a dock, or hard drive
- Molded USB 3.0 label for easy identification
- Double shielding provides protection from EMI/RFI
- Lifetime warranty

Specifications: USB 3.0 USB-C to USB-B Cable M/M - Black

Electrical Specifications:

| | |
|------------------------|---|
| Voltage Rating: | 30V |
| Dielectric Strength: | AC-500V/1 Minute No Breakdown (EIA-364-20) |
| Insulation Resistance: | DC-500V 10MΩ/1 Minute No Breakdown (EIA-364-21) |
| Conductor Resistance: | 22AWG—55Ω/KM Max at 20°C 30AWG—376Ω/KM Max at 20°C |

Physical Specifications:

| | |
|------------------------|---|
| Operating Temperature: | 0°C - 50°C |
| Operating Humidity: | 20% - 85% RH |
| Storage Temperature: | -25°C - 70°C |
| Storage Humidity: | 0% - 90% RH |
| Cable OD: | 4.8mm ±0.2 |
| Shield: | Shield 1: AL Wrap coverage 100% Shield 2: Braid 16/8/0.10 TC |
| Hood Type: | Molded |
| Warranty: | Lifetime |

Conductor 1:

| | |
|-------------|--|
| Material: | Stranded Tinned Copper |
| Size: | 30AWG (7/0.10) |
| Insulation: | FM-PE |
| Color: | Yellow/Blue (Twisted Pair) Orange/Purple (Twisted Pair) |

Conductor 2:

| | |
|-------------|------------------------|
| Material: | Stranded Tinned Copper |
| Size: | 30AWG (7/0.10) |
| Insulation: | HD-PE |
| Color: | White/Green |

Conductor 3:

| | |
|-------------|------------------------|
| Material: | Stranded Tinned Copper |
| Size: | 22AWG (7/0.254) |
| Insulation: | FM-PE |
| Color: | Red/Black |



USB 3.0 C Connector:

| | |
|-------------------|---------------|
| Gender: | Male |
| Insulation: | Black |
| Contact Material: | Gold Flashing |
| Shell Material: | Nickle Plated |

USB 3.0 B Connector:

| | |
|-------------------|---------------|
| Gender: | Male |
| Insulation: | Black |
| Contact Material: | Gold Flashing |
| Shell Material: | Nickle Plated |

Specifications: USB 3.0 USB-C to USB-B Cable M/M - Black



| Part Number | Description | Weight (lbs) |
|-------------|---|--------------|
| 28867 | 10ft USB 3.0 USB-C to USB-B Cable M/M - Black | |



CABLES TO GO

Cables To Go
 3555 Kettering Blvd.
 Moraine, OH 45439
 Phone: 800.287.2843
 www.c2g.com

Follow Us

