







TAA COMPIANT COUNTRIES

The TAA designated country list is sourced from the Federal Acquisition Regulation (FAR) and is current as of March 2024.

Afghanistan Finland Nicaragua Angola France Niger Antigua & Barbuda Gambia North Macedonia Armenia Germany Norway Aruba Oman Greece Grenada Panama Peru Poland Bahrain Guinea-Bissau Portugal Bangladesh Guyana Romania Haiti Rwanda Belgium Honduras Saba Belize Hong Kong Samoa Benin Hungary Sao Tome & Principe Bhutan Iceland Senegal Ireland Sierra Leone Singapore Bulgaria Sint Eustatius Burkina Faso Jamaica Sint Maarten Burundi Japan Slovak Republic

Kiribati

Cambodia

Canada Korea (Republic of) Solomon Islands Central African Republic Laos Somalia Chad South Sudan Latvia Chile Lesotho Spain St. Kitts & Nevis Liechtenstein St. Lucia Costa Rica Lithuania St. Vincent & the Croatia Luxembourd Grenadines Curacao Madagascar Sweden Cyprus Switzerland Czech Republic Mali Taiwan Malta Tanzania Congo Mauritania Timor-Leste Togo

Slovenia

Zambia

Djibouti Trinidad & Tobago Dominica Tuvalu Uganda Dominican Republic El Salvador Ukraine **United Kingdom** Eritrea Vanuatu Estonia Netherlands Yemen Ethiopia

New Zealand



TAA COMPLIANT PRODUCT LINES



HDMI Cables



Cat5e/Cat6



Conference Room Video Hub




Docking Stations



Power Cords

WWW.LEGRANDAV.COM SIMPLIFIED CONNECTIVITY





HDMI CABLES



HDMI® Cables

New TAA Plus Series Premium High Speed HDMI Cables available in 3ft, 6ft and 10ft lengths.

C2G PN Product Title						
C2G50109	3ft Plus Series Premium High Speed HDMI	TW				
C2G50110	6ft Plus Series Premium High Speed HDMI	TW				
C2G50111	10ft Plus Series Premium High Speed HDMI	TW				

CAT5E CATEGORY CABLES



Cat6 Bulk Unshielded (UTP) Ethernet Network Cable with Stranded Conductors In-Wall CM-Rated

Create custom length Cat5e network patch cables with in-wall rated and plenum rated cabling.



Cat5e RJ45 Modular Plugs

Terminate round solid or stranded conductor cable in Cat5e network applications.

Part #	Length	Color	Conductors	Jacket Rating		
43400		Gray				
43401		Blue				
43402	1000ft	Green	Stranded	In-Wall CM-Rated		
43403		Red				
43404		Yellow				

Part #	Quantity	Description				
11380	50 Pack	Modular Plug for Round Stranded Cable				
11381	100 Pack	Modular Plug for Hound Stranded Cable				

WWW.LEGRANDAV.COM ______ SIMPLIFIED CONNECTIVITY _____ 5



Cat6 Shielded (STP) Network Cables

Shipping by September 2024



^{*}Some TAA Category Cables available now, reach out to your account manager for more information.

C2G43761

C2G43762

C2G43775

C2G43776

C2G43747

C2G43748

C2G43789

C2G43790

C2G43719

C2G43720

25ft

C2G43733

C2G43734




Cat6 Snagless Unshielded (UTP) Network Cables TAA

14ft 15ft

20ft 25ft

30ft 35ft 50ft

Shipping by September 2024



t	C2G43455	C2G43476	C2G43581	C2G43518	C2G43497	C2G43539	C2G43602	C2G43560
t	C2G43456	C2G43477	C2G43582	C2G43519	C2G43498	C2G43540	C2G43603	C2G43561
t	C2G43457	C2G43478	C2G43583	C2G43520	C2G43499	C2G43541	C2G43604	C2G43562
t	C2G43458	C2G43479	C2G43584	C2G43521	C2G43500	C2G43542	C2G43605	C2G43563
t	C2G43459	C2G43480	C2G43585	C2G43522	C2G43501	C2G43543	C2G43606	C2G43564
t	C2G43460	C2G43481	C2G43586	C2G43523	C2G43502	C2G43544	C2G43607	C2G43565
t	C2G43461	C2G43482	C2G43587	C2G43524	C2G43503	C2G43545	C2G43608	C2G43566
t	C2G43462	C2G43483	C2G43588	C2G43525	C2G43504	C2G43546	C2G43609	C2G43567
t	C2G43463	C2G43484	C2G43589	C2G43526	C2G43505	C2G43547	C2G43610	C2G43568

^{*}Some TAA Category Cables available now, reach out to your account manager for more information.

Cat6a Snagless Shielded (STP) Network Cables

Shipping by September 2024



	Grey	Blue	Black	White	Red	Yellow	Green	Orange	Purple
6in	C2G43791	C2G43812	C2G43833	C2G43959	C2G43875	C2G43896	C2G43854	C2G43917	C2G43938
1ft	C2G43792	C2G43813	C2G43834	C2G43960	C2G43876	C2G43897	C2G43855	C2G43918	C2G43939
2ft	C2G43793	C2G43814	C2G43835	C2G43961	C2G43877	C2G43898	C2G43856	C2G43919	C2G43940
3ft	C2G43794	C2G43815	C2G43836	C2G43962	C2G43878	C2G43899	C2G43857	C2G43920	C2G43941
4ft	C2G43795	C2G43816	C2G43837	C2G43963	C2G43879	C2G43900	C2G43858	C2G43921	C2G43942
5ft	C2G43796	C2G43817	C2G43838	C2G43964	C2G43880	C2G43901	C2G43859	C2G43922	C2G43943
6ft	C2G43797	C2G43818	C2G43839	C2G43965	C2G43881	C2G43902	C2G43860	C2G43923	C2G43944
7ft	C2G43798	C2G43819	C2G43840	C2G43966	C2G43882	C2G43903	C2G43861	C2G43924	C2G43945
8ft	C2G43799	C2G43820	C2G43841	C2G43967	C2G43883	C2G43904	C2G43862	C2G43925	C2G43946
9ft	C2G43800	C2G43821	C2G43842	C2G43968	C2G43884	C2G43905	C2G43863	C2G43926	C2G43947
10ft	C2G43801	C2G43822	C2G43843	C2G43969	C2G43885	C2G43906	C2G43864	C2G43927	C2G43948
12ft	C2G43802	C2G43823	C2G43844	C2G43970	C2G43886	C2G43907	C2G43865	C2G43928	C2G43949
14ft	C2G43803	C2G43824	C2G43845	C2G43971	C2G43887	C2G43908	C2G43866	C2G43929	C2G43950
15ft	C2G43804	C2G43825	C2G43846	C2G43972	C2G43888	C2G43909	C2G43867	C2G43930	C2G43951
20ft	C2G43805	C2G43826	C2G43847	C2G43973	C2G43889	C2G43910	C2G43868	C2G43931	C2G43952
25ft	C2G43806	C2G43827	C2G43848	C2G43974	C2G43890	C2G43911	C2G43869	C2G43932	C2G43953
30ft	C2G43807	C2G43828	C2G43849	C2G43975	C2G43891	C2G43912	C2G43870	C2G43933	C2G43954
35ft	C2G43808	C2G43829	C2G43850	C2G43976	C2G43892	C2G43913	C2G43871	C2G43934	C2G43955
50ft	C2G43809	C2G43830	C2G43851	C2G43977	C2G43893	C2G43914	C2G43872	C2G43935	C2G43956
75ft	C2G43810	C2G43831	C2G43852	C2G43978	C2G43894	C2G43915	C2G43873	C2G43936	C2G43957
00ft	C2G43811	C2G43832	C2G43853	C2G43979	C2G43895	C2G43916	C2G43874	C2G43937	C2G43958

 $[\]hbox{*Some TAA Category Cables available now, reach out to your account manager for more information}.$

WWW.LEGRANDAV.COM ______ SIMPLIFIED CONNECTIVITY _____





CAT6 CATEGORY CABLES



10291

Cat6 Snagless UTP Unshielded Ethernet Network Patch Cable

Snagless design for network adapters, hubs, switches, routers, DSL/cable modems, patch panels and other high performance networking applications.



Cat6 Bulk Unshielded (UTP) Ethernet Network Cable

Create custom length Cat6 network patch cables with in-wall rated and plenum rated cabling.



_ _ .

Cat6 RJ45 Modular Plugs

Terminate round solid or stranded conductor cable in Cat6 network applications.

CONFERENCE ROOM
VIDEO HUB



Conference Room Video Hub – HDMI® and USB-C®

The Conference Room Video Hub is the perfect addition to display and share 4K content in conference rooms and huddle spaces, allowing multiple users to connect and switch between their laptops and tablets.


Length	Gray	Blue	Black
1ft	10301	10312	10290
3ft	10302	10313	10291
5ft	10303	10314	10292
7ft	10304	10315	10293
10ft	10305	10316	10294
14ft	10306	10317	10295
20ft	10307	10318	10296
25ft	10308	10319	10297
50ft	10309	10320	10298
75ft	10310	10321	10299
100ft	10311	10322	10300

Part #	Length	Color	Conductors	Jacket Rating
43405	1000ft	Blue	Stranded	In-Wall
43406	100011	Gray	Stranded	CM-Rated

Part #	Quantity	Description				
00887	10 Pack					
00888	25 Pack	Modular Plug for Round Solid/Stranded				
00889	50 Pack	Cable				
00890	100 Pack					

Part #	Display Output	Input	Max Resolution	Refresh Rate	Special Feature
1 20074 1	HDMI	4K (3840 v 2160		60Hz	CEC
	Female	2x USB-C Female	4K (3840 X 2160)	60H2	Control

WWW.LEGRANDAV.COM ______ SIMPLIFIED CONNECTIVITY _____



USB-C® 12-in-1 Triple Display Docking Station with HDMI®, DisplayPort™, Ethernet, USB, 3.5mm Audio and Power Delivery up to 85W - 4K 30Hz



C2G54535

Part #	Input Connector	Audio/Video Configurations	Max Resolution	Refresh Rate	Data Ports	Protocol		Max Transmit Speed	Audio Jack	Power Delivery	Included Power Adapter
		3x HDMI Female			4x USB-A Female	USB	3.0				
	1x HDMI Female & 2x DisplayPort Female	3 Displays 4K (3840 x 2160)	30Hz	1x Front USB-A Female	BC 1.2 Enhanced Mobile Charging S Gbps USB 3.0	3.5mm Headphone					
C2G54535	USB-C Male	USB-C Male 2x HDMI Female	2 Displays		USB-C Female	USB 3.1 Gen 2 Power Deliver Gigabit Ethernet		10 Gbps		85W 13	135W
		2x DisplayPort Female	4K (4096 x 2160)					10 Gbps			
		1x HDMI Female	1 Display 4K (4096 x 2160)	60Hz	USB-C Female			y Only	3.5mm Microphone		
		1x DisplayPort Female	1 Display 5K (5120 x 2880)		RJ45 Female			1000 Mbps			



USB-C° 9-in-1 Dual Display Docking Station with 60W Power Supply, HDMI°, Ethernet, USB, 3.5mm Audio and Power Delivery up to 60W - 4K 30Hz



Part #	Input Connector	Audio/Video Configurations	Max Resolution	Refresh Rate	Data Ports	Bandwidth	Max Transmit Speed	Audio Jack	Power Delivery	Included Power Adapter
C2G54487 USB-C Male		2x HDMI	2 Displays 1080p	60Hz	5x USB-A Female	3x USB 3.0	5 Gbps			
	USB-C	Female	(1920 x 1080)	00112	JHZ 5X USB-A Female	2x USB 3.0	480 Mbps	3.5mm		COM
	Male	1x HDMI	1 Display		USB-C Female	Power Delive	ery Only	Combo	60W	60W
		Female 4K (4096 x 2160)		30Hz	RJ45 Female	Gigabit Ethernet	1000 Mbps			
		2x HDMI	2 Displays			3x USB 3.0	5 Gbps			
C2G54488	USB-C	Female (1920	1080p (1920 x 1080)	60Hz	5x USB-A Female	2x USB 2.0	480 Mbps	3.5mm	0014	
	Male	1x HDMI	1 Display		USB-C Female	Power Delivery Only		Combo	60W	No
		Female	4K (4096 x 2160)	30Hz	RJ45 Female	Gigabit Ethernet	1000 Mbps			

Thunderbolt™ 4 USB-C® 10-in1 Dual Display Docking Station with Ethernet, USB, SD Card Reader, 3.5mm Audio and Power Delivery up to 90W - 4K 60Hz



2G54537

Part #	Input Connector	Audio/Video Configurations	Max Resolution	Refresh Rate	Data Ports	Bandwid	th	Max Transmit Speed	Audio Jack	Power Delivery	Included Power Adapter
		2 Displays 4K 60I	60Hz	Thunderbolt 4 USB-C Female	Thunderbolt 4 40		40 Gbps				
	Thunderbolt 22G54537 3 USB-C Male	4x Thunderbolt 4 Female	(3840 x 2160)		3x USB-A Female	USB 3.1		10 Gbps			
C2G54537			1 Display 8K	30Hz	1x Front USB-A Female	BC 1.2 Enhanced Mobile Charging	USB 3.0	480 Mbps	3.5mm Combo	90W	135W
		(7680 x 4320)		RJ45 Female	Gigabit Ethernet		1000 Mbps				
					SD Card Reader	4.0		104 Mbps			

Thunderbolt™ 3 USB-C* Docking Station 11-in-1 8K UHD with DisplayPort™, Ethernet, USB, SD Card Reader, 3.5mm Audio and Power Delivery up to 85W - 8K 30Hz



Part #	Input Connector	Audio/Video Configurations	Max Resolution	Refresh Rate	Data Ports	Bandwid	dth	Max Transmit Speed	Audio Jack	Power Delivery	Included Power Adapter
		1x DisplayPort Female	2 Displays		Thunderbolt 3 USB-C Female	Thunderb	olt 3	40 Gbps			
	& 1x Thunderbolt 3 Female	4K (3840 x 2160)	60Hz	3x USB-A Female	USB 3.	0					
C2G54536	C2G54536 Thunderbolt 3 USB-C Male	1x Thunderbolt 3 Female	1 Display 4K (4096 x 2160)	4K	1x Front USB-A Female	BC 1.2 Enhanced Mobile Charging	USB 3.0	5 Gbps	3.5mm Combo	85W	180W
		1x DisplayPort	1 Display 8K (7680 x 4320)	30Hz	RJ45 Female	Gigabit Eth	Gigabit Ethernet 1000 Mbps				
				33112	SD Card Reader	4.0		104 Mbps			

WWW.LEGRANDAV.COM ______SIMPLIFIED CONNECTIVITY _____





Universal Power Cords
Replacement power cords
for PCs, monitors, printers,

and scanners.

Part #	Length	Conductor	Connector 1	Connector 2
29925	2ft			
29926	4ft			
29927	5ft	16 AWG	NEMA 5-15P	IEC320C13
25545	6ft			
29928	8ft			
24240	1ft		NEMA 5-15P	
03129	3ft			
03130	6ft			
03134	10ft	18 AWG		IEC320C13
53406	12ft			
09482	15ft			
14719	25ft			



299

Outlet Saver Power Extension Cords

These outlet saver cords keep your surge strips and UPS outlets from being blocked by bulky AC transformers.

Part #	Length	Conductor	Connector 1	Connector 2	
29929	2ft		NEMA 5-15P		
29930	4ft	- 16 AWG		IEC320C13	
03137	1ft			IEC320CI3	
03114	3ft				
03115	6ft		NEMA 5-15P		
03116	10ft	18 AWG			
53408	12ft			IEC320C13	
03117	15ft				
53410	25ft				





Power Cord Splitters

These power cord splitters allow you to turn one outlet into multiple while keeping your surge strips and UPS outlets free.

Part #	Length	Conductor	Connector 1	Connector 2	Connector 3	
29802	1.5ft		NEMA 5-15P	2 x NEMA 5-15R		
29807	6ft	16 AVAC	INEIVIA 5-15F	2 X INEIVIA 5-15h	_	
29803	1.5ft	16 AWG	NEMA 5-15P	4 x NEMA 5-15B		
29806	3ft		INEIVIA 5-15P	4 X INEIVIA 5-15K	_	



250 Volt Power Cords


These 250 Volt power extension cords allow you to extend the power cords of most monitors, scanners, and printers.

Part #	Length	Conductor	Connector 1	Connector 2	
29925	2ft	16 AWG	NEMA 5-15P	IEC320C13	
29926	4ft	16 AVVG	INEIVIA 5-15P		



250 Volt Compute Power Extension Cords

These 250 Volt computer power extension cords allow you to extend the power cords of most desktop computers.





250 Volt Locking Power Cords

These 250 Volt locking power cords prevent accidental power cable disconnection from critical computer or server equipment.



Part #	Length	Conductor	Connector 1	Connector 2
10359	3ft			
10360	6ft	17 AWG	Locking IEC320C14	IEC320C13
10361	10ft			

WWW.LEGRANDAV.COM ______ SIMPLIFIED CONNECTIVITY ______ 13



facebook.com/LegrandAV youtube.com/legrand linkedin.com/company/legrand-av x.com/Legrandav

USA 866.977.3901 av.support@legrand.com CANADA 877.345.4329 av.support@legrand.com EMEA +31 495 580 840 av.emea.sales@legrand.com APAC +852 2145 4099 av.asia.sales@legrand.com

