

# Leading THE CHARGE!



Self Contained Chargers with the Compatibility and Power you need for all of your Personal Devices



## SELF CONTAINED

FSR chargers support the latest 12 Watt charging standards to maintain a full charge in the fastest possible time.

### DC Powered USB Chargers

FSR offers a full line of charging solutions for your iPhone®, iPad® or any smart device in a variety of form factors to meet your installation requirements. The chargers communicate with your device and provide it the correct charging wattage, up to a full 12 watts. All models come complete with a universal power supply.

## POE to USB Chargers

Using FSR's PoE to USB chargers, you can power and charge USB devices such as an iPad® from a POE-Ethernet drop without the need for AC line power. The IT-CHRG-P2U "cube style" model can be mounted in a 2-gang wall box behind any wall mounted USB device. Both units emulate the Apple™ charging circuit to avoid annoying pop-ups. The IT-WPCHRG-P2U Decora style models fit directly into a standard gang box and are available with white or black cover plates.

- Powers/charges USB devices without an AC line
- Universal USB charger
- Power "ON" indicator
- IEEE 802.3at (802.3at Type 1) Class 0 compliant




#### **IT-WPCHRG**

- POE to USB Universal, Charger Wal
- Available in White or Bla

# Distribution for FSR's DC Powered USB Chargers - SS-USB-CHRG-PS6

FSR offers a full line of charging solutions for your iPhone®, iPad® or any smart device.

- 1-RU (1.75") high, low-voltage distribution board
- Two mounting holes are provided to attach to the rear rack rails in a rack
- · All connections are via captive-screw terminals
- Power supply is included to handle up to 6 remote FSR DC Powered USB Chargers
- On-Board LED power indicator
- Inexpensive solution for remote USB power distribution



## CHARGERS WITH THE COMPATIBILITY & POWER YOU NEED



#### IT-USB-CHRG

- · Wall plate DC to USB charger
- · Available in White or Black Patent Pending



#### SS-USB-CHRG

- Keystone DC to USB
- · Available in Black
- · Snaps into a standard Keystone Opening.

Patent Pending



#### IPS-D717S

- . IPS DC to USB Chargers
- Available in White or Black
- Input: 100-240VAC, 50-60Hz, 0.6A
- Output: 15VDC 1.2A
- The USB SNAP-IN Output is 5.2 VDC 2.4A

Patent Pending

### -P2U

**Iplate** 

ck



The IT-SACWP Wallplate provides convenient, remotely switched AC to power Projectors, displays and other AC powered devices via a low voltage hard wired control input. Intended applications are for remote load switching within one of our floor boxes or PWB wall boxes. The unit is easily mounted in FSR's CB-series, PWB series, WB-X series, Floor Boxes, HuddleVU kits, flex control series, top shelf, etc. allowing remote AC power control of amplifiers, switchers and more.



#### IT-CHRG-P2U

• POE to USB Universal, **Charger Cube** 



#### TC-WC1

Wireless Charging Designed for Furniture Integration. Charges all Qi Standard Compatible Devices.



® iPad is a registered trademark of Apple Inc., registered in the US and other countries. The products contained on these pages are not endorsed by or affiliated with Apple Inc.

FSR products not shown to scale.

## **Hundreds of Table Box Charger Options**



TC-CHRG Table Coaster





TB-CHRG "TILT 'N SELECT" TABLE BOX





T6 & RT6 Large Brackets



T6-LB-AC1CH (-W)\*
1 AC outlet and 4 USB charging ports



T6-LB-AC2CH (-W)\* 2 AC outlet and 2 USB charging ports

\* (-W) indicates models that are available in white. Otherwise, brackets are black.



Bringing elegant power, charging and data to your workspace.







This floor standing unit gives you AC power, USB charging, snap-ins, cable pass-through and any other type of connectivity that you may require. Perfect for under desk or waiting area applications. Available in black or white.

















